

## WO9703423

Publication Title:

METHOD AND APPARATUS FOR CONDUCTING COMPUTERIZED COMMERCE

Abstract:

Abstract of WO 9703423

(A1) Translate this text A method of conducting computerized commerce on a number of computer systems connected by a computer network including providing a broker computer system, the broker system having a database of broker scrips, each of the broker scrips representing a form of electronic currency, providing a vendor computer system, the vendor computer system having a database containing products which may be exchanged for the broker scrips, the vendor computer system capable of providing vendor scrips, providing a consumer computer system, the consumer computer system having a user interface wherein a user may initiate transactions in the consumer computer system to obtain one or more of the products contained in the database of the vendor computer system, sending a first request from the user on the consumer computer system to obtain a first broker scrip from the broker computer system, processing the first request in the broker computer system, sending the first broker scrip to the consumer computer system in response to the step of processing, sending a second request from the broker computer system to obtain a first vendor scrip from the vendor broker computer system, processing the second request in the vendor computer system, sending the first vendor scrip to the broker computer system in response to the step of processing the second request, sending a third request from the consumer computer system to the broker computer system for a first product, exchanging the first broker scrip for the first vendor scrip, and delivering the product to the consumer computer system in response to the step of exchanging.

-----  
Courtesy of <http://v3.espacenet.com>


## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>G07F 19/00</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 97/03423</b> <b>(43) International Publication Date:</b> 30 January 1997 (30.01.97)
<b>(21) International Application Number:</b> PCT/US96/01851 <b>(22) International Filing Date:</b> 12 February 1996 (12.02.96) <b>(30) Priority Data:</b> 08/500,038 10 July 1995 (10.07.95) US <b>(71) Applicant:</b> DIGITAL EQUIPMENT CORPORATION [US/US]; 111 Powdermill Road, Maynard, MA 01754-1499 (US). <b>(72) Inventor:</b> MANASSE, Mark, S.; 1270 Monterey Boulevard, San Francisco, CA 94127-2508 (US). <b>(74) Agents:</b> NATH, Rama, B. et al.; Digital Equipment Corporation, 111 Powdermill Road, Maynard, MA 01754-1499 (US).		<b>(81) Designated States:</b> BR, JP, KR, MX, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).  <b>Published</b> <i>With international search report.</i>

(54) Title: METHOD AND APPARATUS FOR CONDUCTING COMPUTERIZED COMMERCE

**(57) Abstract**

A method of conducting computerized commerce on a number of computer systems connected by a computer network including providing a broker computer system, the broker system having a database of broker scrips, each of the broker scrips representing a form of electronic currency, providing a vendor computer system, the vendor computer system having a database containing products which may be exchanged for the broker scrips, the vendor computer system capable of providing vendor scrips, providing a consumer computer system, the consumer computer system



having a user interface wherein a user may initiate transactions in the consumer computer system to obtain one or more of the products contained in the database of the vendor computer system, sending a first request from the user on the consumer computer system to obtain a first broker scrip from the broker computer system, processing the first request in the broker computer system, sending the first broker scrip to the consumer computer system in response to the step of processing, sending a second request from the broker computer system to obtain a first vendor scrip from the vendor broker computer system, processing the second request in the vendor computer system, sending the first vendor scrip to the broker computer system in response to the step of processing the second request, sending a third request from the consumer computer system to the broker computer system for a first product, exchanging the first broker scrip for the first vendor scrip, and delivering the product to the consumer computer system in response to the step of exchanging.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic			SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

**METHOD AND APPARATUS FOR CONDUCTING COMPUTERIZED COMMERCE**Field of the Invention

This invention relates generally to networked computer systems, and more particularly to using networked computer systems to conduct commerce electronically.

Background of the Invention

With the advent of electronic forms of communication, telegraph, telephone, radio, television, and more recently digital networks, it has become possible to conduct commerce electronically using digital computer systems. Electronically encoded funds are different from physical currency in that it is a trivial matter to duplicate electronic representations of funds. The most difficult task faced in conducting computerized commerce is to detect the illegal re-use of electronic funds, and to detect the illegal re-use of funds, e.g., double spending.

Known electronic fund transfer systems generally require a "trusted" third party, between the vendor and consumer, to authenticate the validity of the electronic funds. The requirement of a third party, however, adds expense to every transaction because of the cost of extra communications, and extra encryption. In addition, current electronic fund transfer networks, e.g. Western Union, and the Federal Reserve banks, typically require physically secure communications media which is immune to "eavesdropping." Such secure networks are generally not available to consumers at large.

Alternative methods of electronic fund transactions involve establishing a relationship between the vendor and consumer, either through a subscription service, or billing accounts as are provided by credit card organizations. These methods are efficient at handling transaction requests, assuming a reasonable authentication scheme. However, these methods require a prior effort to establish an "account" or credit worthiness. For a large

number of consumers, e.g. all potential users of a large network of computers known as internet, setting up accounts, and maintaining credit information adds expenses to the system.

5       The recent growth of public access communications networks, such as internet, has accelerated the need for a low-cost computerized commerce system. In addition, in the information market place there is a particular need to economically support transactions that are for amounts as  
10       small as a hundredth of a cent. For example, single "pages" of copyrighted material in multi-media network repositories. Current computerized commerce systems, generally have transaction costs which far exceed the value of the products traded in "micro-commerce."

15       Also current systems, using, for example, credit card organizations, have a low level of consumer privacy, since they maintain centralized records of purchases, and usually have a single point of trust.

20       Therefore, it is desired to provide a computerized commerce system which has a very low cost for processing transactions. The system should be interactive, accurate, with verifiable billing. In addition, the system should be theft proof.

## 25       Summary of the Invention

The invention in its broad form resides in a method and system for conducting computerized commerce as recited in claims 1 and 10 respectively.

30       Described hereinafter is a method of conducting computerized commerce on a number of computer systems connected by a computer network is provided including providing a broker computer system, the broker system having a database of broker scrips, each of the broker scrips representing a form of electronic currency,

providing a vendor computer system, the vendor computer system having a database containing products which may be exchanged for the broker scrips, the vendor computer system capable of providing vendor scrips, providing a  
5 consumer computer system, the consumer computer system having a user interface wherein a user may initiate transactions in the consumer computer system to obtain one or more of the products contained in the database of the vendor computer system, sending a first request from the  
10 user on the consumer computer system to obtain a first broker scrip from the broker computer system, processing the first request in the broker computer system, sending the first broker scrip to the consumer computer system in response to the step of processing, sending a second  
15 request from the broker computer system to obtain a first vendor scrip from the vendor broker computer system, processing the second request in the vendor computer system, sending the first vendor scrip to the broker computer system in response to the step of processing the second request, sending a third request from the consumer  
20 computer system to the broker computer system for a first product, exchanging the first broker scrip for the first vendor scrip, and delivering the product to the consumer computer system in response to the step of exchanging.

25       With such an arrangement, a scheme which allows charging for services and information at prices best measured in fractions of a penny is provided.

#### Brief Description of the Drawings

30       The novel features believed characteristic of the invention are set forth in the appended claims. The invention itself, however, as well as features and advantages thereof, will be best understood by reference to the detailed description of specific embodiments which

follows, when read in conjunction with the accompanying drawings, wherein:

FIG. 1 is a top-level block diagram of a computerized system for conducting computerized commerce;

5        FIG. 2 is a block diagram of a computer system used in the system of FIG. 1;

FIG. 3 is a flow diagram of the operations of the system of FIG. 1;

10       FIG. 4 is a block diagram of data records storing signals representing scrip used in the system of FIG. 1; and

FIG. 5 is a flow diagram of a process used to validate the data records of FIG. 4.

15    Detailed Description

FIG. 1 shows a computerized system 100 for conducting computerized commerce according to the principles of the invention. The system 100 includes a broker system 110, a vendor system 120, and a consumer system 130  
20 interconnected by a communications network 140.

For clarity, the system 100 depicted in FIG. 1 shows only single broker, vendor, and consumer systems. In actual practice, any number of broker, vendor, and consumer systems can be interconnected by the network 140.

25       The user 111 of the broker system 110 can be a bank, a credit provider, or other types of financial services institutions. The vendor system 120 is operated by a vendor 121. The vendor 121 provides products for consumers.

30       A consumer 131 can use the consumer computer system 130 to "electronically" acquire the products 150 of the vendor 121. The products 150 provided by the vendor 121 can be goods and service of any type. The network 140 can be public or private, such as, for example, internet,

switched telephone systems, satellite linked networks, and the like.

A computer system 200 suitable for use as the broker, vendor, and consumer systems is shown in FIG. 2. The  
5 computer system 200 includes a central processing unit (CPU) 210, a memory 220, and an input/output interface 230 connected to each other by a communications bus 240. The CPU 210, at the direction of users 250, e.g. broker, vendor, consumer, executes software programs for  
10 manipulating data. The programs and data can be stored in the memory 220 as a database (DB) 221.

The memory 220 can include volatile semiconductor memory as well as persistent storage media, such as disks. The I/O interface 230 is for communicating data with the  
15 network 140, the users 250, and other computer system peripheral equipment, such as printers, tapes, etc.

The computer system 200 is scaled in size to function as the broker, vendor, or consumer systems. For example, when scaled as the consumer computer system 130, the  
20 computer system 200 can be a small personal computer (PC), fixed or portable. The configurations of the computer system 200 suitable for use by the broker 111 and the vendor 121 may include multiple processors and large database equipped with "fail-safe" features. The fail-safe  
25 features ensure that the database 221 is securely maintained for long periods of time.

FIG. 3 shows an operation of the system 100 according to a preferred embodiment of the invention. The consumer 131 using, for example, "currency" 310 purchases  
30 "electronic" broker scrip 320 generated by the broker 111. Here, purchasing means that upon a validation of the authenticity of the consumer 131 and the consumer's currency 310, the broker system 110 generates signals, in the form of data records. The signals are communicated,



via the network 140, to the consumer system 130 for storage in the database 221 of the memory 220 of the consumer system 130.

5 The currency 310 which is exchanged for scrip 320 can be cash, check, credit card, bank ATM card, debit card, phone card, or other items of value. The scrip 320 can also be freely exchanged for "coupons" frequently used in promotional schemes. The "coupons" can be in form of the scrip.

10 The scrip, according to the preferred embodiment of the invention, is described in further detail below. In brief, the scrip is encoded by the generator of the scrip. This means that the scrip carries encrypted information which is only decipherable by the originator. In addition,  
15 each scrip is uniquely identifiable. After a single use, the originator of the scrip can "invalidate it", in the sense that the signals of the data record are no longer accepted for processing by the originating computer system.

20 The broker 111, in a similar transaction 303, as described above, exchanges currency 310 for bulk electronic vendor scrip 330. The vendor scrip 330 is generated by the vendor system 120. Alternatively, the broker system 110 executes licensed software programs  
25 which generate vendor scrip 330 for the consumer 131 as needed. In this case, the "value" of the license can be proportional to the amount of scrip that the licensee can generate. As will be described below, the scrip can have an expiration date so that the issuer does not forever  
30 need to maintain data regarding the issued scrip.

The consumer 131 desiring the products 150 provided by the vendor 121, in a transaction 303, can exchange the broker scrip 320 for vendor scrip 330 in a transaction 302. If the purchase price of the product 150 is less than

the value of the vendor scrip 330, new vendor scrip can be issued for the balance as "change." A separate transaction type allows consumers 131 to ask vendors 121 to turn vendor scrip 330 back into currency 310 or broker scrip 320, probably for a fee.

In an alternative embodiment, the consumer 131 can establish an "account" with the vendor 121 to acquire vendor scrip 330 directly, without the need of a third party broker. Establishing an account means that an account data record is maintained in the vendor computer system 120.

The consumer 131, in a transaction 304, submits the vendor scrip 330 to the vendor 121. The vendor 121 decrypts the vendor scrip 330 to verify its authenticity, and to validate the "currency" amount. Verification also checks the local database to determine whether the scrip is previously unspent. Approval of the transaction 303 results in the delivery of the desired product 150 to the consumer 131. In the transaction 304, change can also be returned to the consumer 131 in the form of vendor scrip having a value which is the amount of the over-payment, e.g., another data record communicated by the network 140.

As an advantage of the system 100, privacy of the consumer is protected. The broker supplying the vendor scrip could determine what the consumer was acquiring, if the transaction were observed, but the broker isn't a required party to the transaction. Thus, it is unlikely for the broker to know what products are being acquired, but not impossible. The vendor 121 does not need to know the identity of the consumer 131. The vendor 121 only needs to ensure that valid vendor scrip 330 is being exchanged for products 150. In other words, the databases of the broker, vendor, and consumer are separately and securely maintained, using methods and systems for

"fire-walling" computer systems and databases that are known in the art.

The electronic signals which represent the scrip, and which are processed and communicated by the system 100 are described with reference to FIG. 4. The signals, while held static in the memory 220, can be observed as data records 410 of the database 221.

FIG. 4 shows a scrip log 400 maintained by the broker and vendor systems as, for example databases 221 of FIG. 2. The log 400 includes a plurality of scrip records 410. Each record 410 is stored in the log 400 when the "scrip" is generated. After the record 410 is generated, a copy of the record is communicated to the requester. Each record 410 includes a broker/vendor code 412, a scrip value 414, an expiration date 416, a serial number 418, a verification code 420, a valid flag 422, and a category 424.

The broker/vendor code 412 uniquely identifies the generator, e.g., the broker or vendor that generated the scrip. The scrip value 414 can be of any unit value exchangeable for the currency 310. The scrip value 414 can be in amounts different than those available by the currency 310. For example, the scrip value can be expressed as amounts which are multiples of fractions of cents. e.g. 1/100 of one cent.

The expiration date 416 determines when the generated scrip becomes absolutely invalid. The expiration date 416 can be expressed in, for example, minute, hours, or days, or combinations thereof. The use of an expiration date 416 simplifies the bookkeeping task of the vendor and broker. Scrip which has "expired" can be deleted from the log 400. The expiration date 416 also eliminates the circulation of "stale" scrip.

The serial number 418 uniquely identifies the scrip record 410. The serial number 418 can be compared to the serial number which is used for paper currencies. The broker and vendor can use the serial number 418 to locate records in the log 400, and to ensure that the value 414 concurs with serial number 418.

The verification code 420 can be random, but the data storage requirements are minimized by picking a secret that covers a range of serial numbers, and generating the code 420 by computing a function depending on the value 414, serial number 418, and the secret; for example, by computing the MD-5 hash value of the rest of the data fields followed by the secret.

MD-5 or SHA signing can also be used to transmit proof that the sender knows the verification code 420 without requiring the transmission of that code 420. To send message M proving possession of secret S, one sends M followed by the hash result of M followed by S; the recipient, knowing that S is required to validate M, can also compute the hash value, and compare the results. The valid flag 422 is set when the scrip is generated. Use of the scrip clears the flag 420. Thus, receipt of a fraudulently duplicated script record can be recognized. Scrip used once, in most cases, can never be used again.

The category 424 enables the offering of scrip which has inherent price differentials for qualifying consumers, e.g. student, senior citizen, or other special interest groups of consumers. The category 424 can also distinguish scrip as to its intended use. For example, scrip can be issued which has restrictions by age and product, for example, minors and tobacco products. The category information 424 is produced by the broker, who can verify such information once and pass it on to all vendors,

allowing the use of stronger cryptographic techniques to authenticate customer data.

Similarly, scrip communicated to identifiable geographic regions of the network 140, can not be  
5 exchanged for products in violation of territorial boundaries, and export rules. Scrip can further be categorized to identify specific products, quantity of products, and time-of-use, e.g., "quotas."

A process 500 which manipulates the signals  
10 representing the scrip is shown in FIG. 5. In general, each scrip transaction involves a request, and a response. If the signals indicating the request do not arrive, they may be retransmitted. If the response is lost, then, the scrip which is part of the response may also be lost.  
15 However, if the last transaction can be exactly repeated, an immediate subsequent receipt of an identical request by the identical consumer may be honored.

In step 510, scrip is received. The receiver of scrip decrypts the scrip according to methods which are only  
20 known to the originator of the scrip. If the scrip can not be decoded, the scrip is rejected in step 599. The verification code 420 is examined in step 530, while the serial number 418 is validated in step 640. If both are found to be correct, the scrip is approved in step 550.  
25 Otherwise, the scrip is rejected, in step 599. Approval of the scrip allows the release of the product 150. For example, the scrip can be exchanged for information stored in the network 140.

The scrip can be "serialized." This means that the  
30 vendor, as long as the consumer maintains a license, will exchange, along with the product, new scrip which can be used in a subsequent transaction. This type of interchange would be of use for serialized products, such as periodic literature, or other products which are repeatedly

ordered. Similarly, the system 100 as described herein,  
can be used to control access to services provided by the  
vendor for member consumers. As long as the consumer  
continues to be a member, scrip from the consumer will be  
5 accepted.

The scrip does not need to become invalid after use.  
By vendor's choice, scrip can be accepted a multiple  
number of times, or even, duplicated scrip may be  
exchanged for promotional products during specified  
10 periods of time. Scrip can be generated conditionally.  
That is the category 424 of the scrip indicates what other  
conditions may need to be satisfied by the consumer before  
the scrip becomes "active." For example, scrip can be  
activated only if the consumer first engages in a  
15 specified set of conditional prerequisite transactions.

Scrip, in a widely distributed network such as  
internet, can be distributed as "stamps" for electronic  
mail, e.g., "e-mail." Here, the scrip would allow for  
recovering expenses associated with mailing, forwarding,  
20 distribution, moderating e-mail.

The system 100, as described, operates in a manner  
which is distinct from systems of the prior art. Consumers  
do not need to establish credit accounts with product  
provider. Consumers can easily verify that the  
25 transactions for which they are held responsible are  
valid.

Having described a preferred embodiment of the  
invention, it will now become apparent to those skilled in  
the art that other embodiments incorporating its concepts  
30 may be provided. It is felt therefore, that this  
invention should not be limited to the disclosed  
invention, but should be limited only by the scope of the  
appended claims.

What is claimed is:

1        1.    A method of conducting computerized commerce on a  
2        plurality of computer systems connected by a computer  
3        network, comprising the steps of:  
4                providing a consumer computer system, the consumer  
5        computer system having a user interface for communication  
6        to a consumer and an internal process for processing a  
7        plurality of consumer requests, the consumer computer  
8        system being capable of storing a plurality of vendor  
9        scrips and a plurality of broker scrips;  
10               providing a vendor computer system, the vendor  
11        computer system containing a database of products, the  
12        vendor computer system being capable of processing and  
13        generating a plurality of broker scrips and a plurality of  
14        vendor scrips, the vendor computer system capable of  
15        storing a plurality of vendor scrips;  
16               providing a broker computer system, the broker system  
17        being capable of processing a plurality of scrips;  
18               initiating a request from the consumer to purchase a  
19        product from the vendor computer system;  
20               identifying a cost of the product;  
21               determining whether the consumer has a proper amount  
22        of a first vendor scrip;  
23               determining whether the consumer computer system has  
24        a proper amount of a first broker scrip;  
25               purchasing the first broker scrip from the broker  
26        computer system;  
27               transmitting the first broker scrip to the broker  
28        computer system in response to the step of determining  
29        whether the consumer computer system has the proper amount  
30        of the first broker strip;  
31               receiving the first broker scrip in the broker  
32        computer system;

33           validating the first broker scrip;  
34           determining whether the broker system has a proper  
35   amount of a second vendor scrip to satisfy the request;  
36           producing a third vendor scrip and a second broker  
37   scrip change in response to the step of determining  
38   whether the broker system has the proper amount of the  
39   second vendor scrip to satisfy the request;  
40           transmitting the third broker scrip and the second  
41   broker scrip change to the consumer computer system;  
42           transmitting the third vendor scrip to the vendor  
43   computer system;  
44           validating the third vendor scrip;  
45           transmitting the product to the consumer;  
46           processing a fourth vendor scrip; and  
47           returning the fourth vendor scrip to the consumer.

48   2.   The method of conducting computerized commerce  
49   according to Claim 1 wherein each of the plurality of  
50   scrips is encoded and includes:

51           a broker/vendor code field;  
52           a scrip value field;  
53           an expiration date field;  
54           a serial number field;  
55           a verification code field;  
56           a valid flag field; and  
57           a category field.

1   3.   The method of conducting computerized commerce  
2   according to Claim 2 wherein the step of purchasing the  
3   first broker scrip from the broker computer system  
4   comprises the step of exchanging currency for the first  
5   broker scrip, the currency selected from any one of:

6           cash;  
7           credit card; and  
8           computerized virtual cash equivalents.



1       4.    The method of conducting computerized commerce  
2       according to Claim 2 wherein the step of validating the  
3       first broker scrip comprises the steps of:  
4             verifying that the first broker scrip has a correct  
5       number of data fields;  
6             verifying that the first broker scrip is unspent;  
7             verifying that the first broker scrip is signed;  
8             verifying that the first broker scrip has sufficient  
9       value for the product;  
10          verifying that a user credential is adequate; and  
11          signaling a result of the validation, wherein  
12       further, the step of signaling comprises the steps of;  
13          marking the scrip serial number as spent in the vendor  
14       computer system if the validation is successful; and  
15          sending an error message if the validation is  
16       unsuccessful.

1       5.    The method of conducting computerized commerce  
2       according to Claim 2 wherein the step of validating the  
3       third vendor scrip comprises the steps of:  
4             verifying that the third vendor scrip has a correct  
5       number of data fields;  
6             verifying that the third vendor scrip is unspent;  
7             verifying that the third vendor scrip is signed;  
8             verifying that the third vendor scrip has sufficient  
9       value for the product;  
10          verifying that a user credential is adequate; and  
11          signaling a result of the validation, wherein further  
12       the step of signaling comprises the steps of;  
13          marking the scrip serial number as spent in the  
14       vendor computer system if the validation is successful;  
15       and  
16          sending an error message if the validation is  
17       unsuccessful.

1       6.    A method of conducting computerized commerce on a  
2       plurality of computer systems connected by a computer  
3       network comprising the steps of:

4            providing a broker computer system, the broker system  
5       having a database of a plurality of broker scrips, each of  
6       the broker scrips representing a form of electronic  
7       currency;

8            providing a vendor computer system, the vendor  
9       computer system having a database containing a plurality  
10      of products which may be exchanged for the a plurality of  
11      broker scrips, the vendor computer system capable of  
12      providing a plurality of vendor scrips;

13           providing a consumer computer system, the consumer  
14      computer system having a user interface wherein a user may  
15      initiate a plurality of transactions in the consumer  
16      computer system to obtain one or more of the plurality of  
17      products contained in the database of the vendor computer  
18      system;

19           sending a first request from the user on the consumer  
20      computer system to obtain a first broker scrip from the  
21      broker computer system;

22           processing the first request in the broker computer  
23      system;

24           sending the first broker scrip to the consumer  
25      computer system in response to the step of processing;

26           sending a second request from the broker computer  
27      system to obtain a first vendor scrip from the vendor  
28      broker computer system;

29           processing the second request in the vendor computer  
30      system;

31           sending the first vendor scrip to the broker computer  
32      system in response to the step of processing the second  
33      request;

34           sending a third request from the consumer computer  
35      system to the broker computer system for a first product;

36           exchanging the first broker scrip for the first  
37    vendor scrip; and  
38           delivering the product to the consumer computer  
39    system in response to the step of exchanging.

1       7.    The method of conducting computerized commerce  
2    according to Claim 6 wherein each of the plurality of  
3    broker scrips and each of the plurality of vendor scrips  
4    are encoded and include:  
5           a broker/vendor code field;  
6           a scrip value field;  
7           an expiration date field;  
8           a serial number field;  
9           a verification code field;  
10          a valid flag field; and  
11          a category field, wherein the step of processing the  
12   first request comprises the steps of:  
13          validating the authenticity of the user;  
14          receiving a currency from the user;  
15          validating the currency of the user;  
16          generating the first broker scrip, the first broker  
17   scrip having an appropriate broker/vendor code field, a  
18   scrip value field, an expiration date field, a serial  
19   number field, a verification code field, a valid flag  
20   field, and a category field; and  
21          encoding the first broker scrip.

1       8.    The method of conducting computerized commerce  
2    according to Claim 7 wherein the step of processing the  
3    second step comprises the steps of:  
4           validating the authenticity of the broker computer  
5    system;  
6           receiving a currency from the broker computer system;  
7           validating the currency of the broker computer  
8    system;

9           generating the first vendor scrip, the first vendor  
10       scrip having an appropriate broker/vendor code field, a  
11       scrip value field, an expiration date field, a serial  
12       number field, a verification code field, a valid flag  
13       field, and a category field; and  
14       encoding the first vendor scrip.

1       9.    The method of conducting computerized commerce  
2       according to Claim 7 wherein the step of exchanging the  
3       first broker scrip for the first vendor scrip comprises  
4       the steps of:  
5            decoding the first vendor scrip;  
6            verifying the authenticity of the first vendor scrip;  
7            terminating the method if the step of verifying  
8       fails;  
9            validating the scrip value;  
10          terminating the method if the of validating fails; and  
11          returning a second vendor scrip to consumer computer  
12       system if the scrip value of the first vendor scrip  
13       exceeds the scrip value of the first broker scrip.


1       10.   A system for conducting computerized commerce over a  
2       network, comprising:  
3          a first computer system for generating scrip, the  
4       scrip including encrypted information indicating an  
5       originator of the scrip and a value of the scrip, the  
6       first computer system including a memory for storing  
7       signals representing the scrip, and means for  
8       communicating the scrip over the network;  
9          a second computer system for generating a request for  
10       the scrip generated by the first computer system, the  
11       second computer system receiving the scrip after the  
12       request is approved over the network;  
13       means, in the first computer system, for receiving  
14       scrip over the network;

15 means, coupled to the means for receiving, for  
16 approving the scrip; and  
17 means, responsive to the means for approving, for  
18 authorizing a commercial transaction having a value less  
19 than equal to the value of the scrip.

1 11. The method of conducting computerized commerce  
2 according to Claim 1 wherein the vendor computer system  
3 further includes the capability of licensing, the  
4 licensing producing a new generator of a vendor scrip.

1 12. A system as recited in claim 10, which includes means  
2 to generate broker scrips and vendor scrips, wherein each  
3 of the vendor scrips and broker scrips is encoded and  
4 includes:

5 one of a broker code field and a vendor code field;  
6 a scrip value field;  
7 an expiration date field;  
8 a serial number field;  
9 a verification field;  
10 a valid flag field; and  
11 a category field.






FIG. 2




FIG. 3






FIG.4




FIG. 5

## INTERNATIONAL SEARCH REPORT

International Application No

PC1/US 96/01851

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 G07F19/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G07F G07G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 590 861 A (AMERICAN TELEPHONE & TELEGRAPH) 6 April 1994 see the whole document ---	1,6,10
A	US 5 010 485 A (BIGARI STEVEN T) 23 April 1991 see abstract; claims 1,6-13; figures 2,3,5 see column 3, line 33 - column 5, line 26 ---	1,6,10
A	EP 0 501 697 A (AMERICAN TELEPHONE & TELEGRAPH) 2 September 1992 see abstract; claims 1-3,10; figures --- -/--	1,6,10



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

## \* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

9 August 1996

Date of mailing of the international search report

27. 08. 96

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+ 31-70) 340-3016

Authorized officer

Guivol, 0

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 96/01851

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,A	<p>W0 95 30211 A (CITIBANK NA) 9 November 1995  see abstract; figures 1,2,5,6,12,13  see figures 15,22,23  see page 2, line 22 - page 3, line 32  see page 6, line 20 - page 13, line 5  see page 32, line 17 - page 37, line 18  see page 42, line 35 - page 44, line 13  see page 46, line 26 - page 49, line 27  ---</p>	
A	<p>EP 0 370 146 A (STRATEGIC PROCESSING CORP)  30 May 1990  ---</p>	
A	<p>US 5 023 904 A (KAPLAN MURRAY ET AL) 11 June 1991  ---</p>	
A	<p>CHAIN STORE AGE EXECUTIVE, OCT. 1990, USA,  vol. 66, no. 10, ISSN 0193-1199,  pages 86-88, XP002010582 "QuikTrip  QuikTeller dispenses quikscrip: C-store  chain uses ATMs to spur impulse sales,  enhance image"  &amp; ABA BANKING JOURNAL,  vol. 85, no. 4, April 1993, ABA BANK.J.  (USA),  pages 43-47, XP000578806  MARK AREND: "Scrip Terminals fuel  Payments system Debate"  see page 43, left-hand column, line 1 -  middle column, line 6  -----</p>	

# INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 96/01851

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0590861	06-04-94	CA-A- 2100134 JP-A- 7129671 US-A- 5485510	30-03-94 19-05-95 16-01-96
US-A-5010485	23-04-91	AU-B- 637290 AU-B- 4897190 CA-A- 2008874	20-05-93 09-08-90 31-07-90
EP-A-0501697	02-09-92	AU-B- 640855 AU-B- 1089692 CA-A, C 2059078 JP-A- 5095405 US-A- 5329589	02-09-93 03-09-92 28-08-92 16-04-93 12-07-94
WO-A-9530211	09-11-95	AU-B- 2105895	29-11-95
EP-A-0370146	30-05-90	US-A- 4799156 CA-A- 1281417	17-01-89 12-03-91
US-A-5023904	11-06-91	US-A- 4797913	10-01-89